

# 2006 Plant Pictures & Descriptions

(4) (4) (4) (4) (4) (4)		
Table of	Contents	Page I
Evergreen Trees		
J	Douglas fir	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	Grand fir	LPGst SaidPortide
	Noble fir	
	Shore pine	THE THREE CONTRACTOR
	Sitka spruce	· 格· 医静态 "全化" [1] [1]
	Western hemlock	The state of the s
	Western red cedar	7 J365 650 Y Lbr V.
Deciduo	us Trees	Pages 9-14
	Bigleaf maple	APRILATION OF THE
	Bitter cherry	TOTAL PROPERTY AND ADDRESS.
	Pacific crabapple	
	Red alder	CONTRACTOR OF THE PARTY OF THE
	Rocky Mountain maple	100
10	Vine maple	10 March 1900
Shrubs		Pages 15-25
	Indian plum	76.9
	Mock orange	
	<ul> <li>Nootka rose</li> </ul>	
	Oceanspray	
	<ul> <li>Ninebark (pacific)</li> </ul>	
	<ul> <li>Oregon Grape Tall &amp; Short</li> </ul>	

Red elderberry

Serviceberry Snowberry

Red flowering currant Red osier dogwood



## Douglas Fir







<u>Latin Name</u>: Pseudotsuga menziesii var. menziesii

**Description:** This massive (100-250 feet tall), fast-growing conifer is a common and familiar tree in Western Washington. It can be identified by its tall, straight trunk and corky, brown bark which becomes deeply furrowed on older trees. The three to four inch cones consist of woody, brown scales with protruding, papery, three-pointed seed bracts.

<u>Habitat</u>: Throughout the Pacific Northwest in all but the wettest and driest sites, often growing in mixed stands with hemlock and red cedar. Does best in deep, moist, sandy loams; poorest on gravelly soils. Prefers full sun.

<u>Wildlife Uses</u>: Seeds are eaten by numerous birds and small mammals. Deer and grouse eat new shoots. Plants also provide many species of wildlife with shelter, nest sites, and insects (food).

#### **Grand Fir**







**Latin Name:** Abies grandis

**Description:** This tall (100-250 feet), straight evergreen tree can be identified by its flat, shiny, dark-green needles; its green to yellow-green or greenish-purple cones; and its bark, which is grayish with light-colored mottling. Needles are I-I½ inches long, have two white lines on their undersides, and look like they are on opposite sides of each branch. Cones are cylindrical, two to four inches long, held upright, and are found only on higher branches, where they remain through autumn as they gradually fall apart.

**Habitat:** Dry to moist coniferous or mixed forests, from dry mountain slopes to river valleys. Prefers deep, well-drained, alluvial soils. Full sun to partial shade: although seedlings are shade-tolerant, older trees require full sun.

**Wildlife Uses:** Provides cover and nesting sites for wildlife. Seeds are eaten by numerous birds and small mammals.



# Noble Fir





Latin Name: Abies procera

**Description:** A popular Christmas tree, Noble fir is a large evergreen 140 to 200 feet tall and three to five feet in diameter with a crown that is conical in young trees, but rounded when mature. It has bluish-green flattened needles, about 1 inch long, that appear silvery. Cones are four to six inches long, cylindrical, and borne upright.

**<u>Habitat:</u>** Needs adequate moisture and drainage. Prefers full sun.

<u>Wildlife Uses</u>: Seeds are eaten by numerous birds and small mammals and deer and grouse eat new shoots. Noble fir also provides many species of wildlife with shelter, and nest sites.

#### **Shore Pine**







Latin Name: Pinus contorta var. contorta

**Description:** This pine is our only native two-needled pine. In exposed areas near the Pacific coast, it grows 15-50 feet tall, often with a crooked trunk, bushy form, and windblown crown. Slightly further inland, it can have a similar form, or grow as a straight tree to a height of 100 feet with an irregular crown. Needles are deep green, stiff, sharp-pointed, one to three inches long, and paired. Cones are numerous, small (one to two inches long), egg-shaped, usually covered with sharp prickles.

**Habitat:** A highly-adaptable species found in saturated to excessively well-drained soils. Occurs along the coast and on lowlands, especially on marshy or gravelly sites, where Douglas-fir and western hemlock can't grow well enough to exclude it. Also found in sphagnum bogs in some areas of Western Washington. Tolerant of lownutrient soils. Prefers full sun.

**Wildlife Uses:** Used by numerous species of wildlife, some of which eat the seeds, others eat the insects attracted to it, and some use the tree for cover.

### Sitka Spruce





Latin Name: Picea sitchensis

**Description:** The largest of the world's spruces and one of the most prominent forest trees in stands along the northwest coast of North America. Easily recognized for its stiff, sharp pointed, pale green needles, papery cones up to four inches long, and branches that tend to droop down.


**Habitat:** This coastal species is seldom found far from tidewater, where moist maritime air and summer fogs help to maintain humid conditions necessary for growth. Throughout most of its range from northern California to Alaska, Sitka spruce is associated with western hemlock (*Tsuga heterophylla*) in dense stands where growth rates are among the highest in North America. It is a valuable commercial timber species for lumber, pulp, and many special uses.

**Wildlife Uses:** Used by numerous species of wildlife, some eat the seeds and others use the tree for cover.

#### Western Hemlock







Latin Name: Tsuga heterophylla

**Description:** This evergreen conifer with drooping branches and furrowed, darkbrown to reddish-brown bark grows to 225 feet tall. It can often be identified from a distance by the drooping new growth at the top of the tree. Needles on the same branch vary in length from ½ to ¾ inch; are flat, distinctly grooved, glossy yellowgreen above, have two broad, white stripes below and form flat sprays. Cones turn from green to brown at maturity, and are abundant, one inch long, oval-shaped, attach directly to the branch, and fall intact to the ground.

**Habitat:** Throughout the region, especially in moist conditions. Does best on deep, moist, well-drained soils, and requires high organic content in the soil. Full sun to full shade, though seedlings are often dried out by full sun. Can be found in pure stands or mixed with other species. Not drought-tolerant.

**Wildlife Uses:** Provides food, nesting, and cover (especially winter cover) for birds and mammals. Seeds are eaten by several species of birds and small mammals.

#### Western Red Cedar







Latin Name: Thuja plicata

**Description:** This evergreen conifer can grow over 200 feet tall, with a massive (three to ten feet in diameter) tapering trunk that flares at the base to form buttresses. Bark is thin, shaggy, reddish, and easily peels off into long strips. Needles are flat, overlapping like scales, and are shiny bright-green above, and paler on the underside with white markings. The needles form flattened sprays on drooping branches that turn up at the tips. Cones are clustered near the ends of branches, and are bluish-green when young, becoming brown, half-inch, tulip-shaped cones with woody scales.


<u>Habitat</u>: Prefers moist to swampy soils. Full sun to full shade, though seedlings require some shade. Tolerates seasonal flooding and perennially-saturated soils.

**Wildlife Uses:** Seeds are eaten by numerous species of birds. Deer and elk browse seedlings. Provides nesting sites and cover for many species of birds and small mammals. Plants host butterfly caterpillars.

# Big Leaf Maple







Latin Name: Acer macrophyllum


**Description:** This broad-leaved, deciduous tree grows 40-100 feet tall, with a single trunk two to four feet in diameter, and can have a branch spread of up to 50 feet. Greenish-yellow flowers appear in the spring before the leaves, and hang in cylindrical clusters. Fruits are winged, and disperse by flying "helicopter style".

**Habitat:** Lowland areas, usually in moist, well-drained soils, but also on dry sites. Almost never in saturated soils. In mixed stands with conifers, along stream banks, and in the open. Full sun to partial shade.

**Wildlife Uses:** Wildlife eat seeds, leaves, and new sprouts. Flowers are an early nectar source for bees and other insects. Provides cover and nesting sites for birds and other wildlife.

# **Bitter Cherry**





Latin Name: Prunus emarginata

**Description:** This deciduous native grows as a large shrub or small tree, to heights of 20-50 feet tall, and has shiny, reddish-brown bark with thin, horizontal stripes. Leaves are alternate, two to four inches long, oval to oblong, with rounded tips and fine teeth on the margins, bright to dark-green in color. Leaves turn bright-yellow in the autumn before they fall. Flowers are small, white to pinkish, and form loose, flat-topped clusters of five to ten flowers. The small cherries are bright-red when ripe.

**<u>Habitat</u>**: Prefers dry to moist sites, in full sun to partial shade, but is intolerant of full shade.

**Wildlife Uses:** Important food source for birds and small mammals (especially in early winter), and deer and elk feed on the leaves and twigs. It also provides good nesting sites for cavity - nesting birds, mammals, and sometimes bees.

## Pacific Crab Apple







Latin Name: Malus fusca

**Other Names:** Oregon crab, Oregon crab apple, Pacific crab apple, western crab apple, wild crab apple

**Description:** Deciduous thicket-forming shrub or small tree, often with several trunks, to 30 ft, sometimes more. Spur shoots abundant on older branches. Flowers in small upright clusters, each two centimeters wide, five rounded white or rarely pink petals. Fruit 12-19 milimeters long, usually longer than wide, yellowgreen to red, edible but sour.

**Habitat:** Sun or partial shade. Apparently not fussy about soil, a "wetlander" plant. Native range along the Pacific Coast, from southern Alaska south to northern California, up to 1,000 ft (305 m) elevation. Usually found on moist sites near streams and other wet places.

Wildlife Uses: Provides shelter for birds and animals.



#### Red Alder





Latin Name: Alnus rubra

**Description:** This familiar tree has thin, smooth, gray bark and grows 30-120 feet tall. Leaves are deciduous, alternate, three to six inches long, broad and elliptic, with pointed ends. Male and female flowers appear on the same tree, and the small, winged seeds are shed August to October from small, brown cones that remain on the tree for several years. This tree is greatly under-valued, although it is a quick grower and fixes nitrogen, which make it particularly useful for stabilizing disturbed soils and revegetating nutrient-poor soils.

<u>Habitat</u>: Grows in various types of disturbed soils; tolerates drought, flooding, or brackish conditions. Full sun to partial shade. Typically mixed with other trees, but can form pure stands in nutrient-poor soils or on logged-over or otherwise disturbed lands.

Wildlife Uses: Deer and elk browse the leaves, as do large numbers of invertebrates (which in turn feed many insect-eating bird species). Beaver use the branches. Larger trees provide habitat for numerous cavity-nesting birds and small mammals.

## Rocky Mountain Maple







Latin Name: Acer glabrum

**Description:** This deciduous tree often grows to 30 feet tall, taking the form of a shrub or small tree. Leaves are one to three inches in diameter, and opposite. In the fall, leaves turn gold or bright red before falling. Like other maples, it has "helicopter" seeds.

**Habitat:** Dry to somewhat moist sites. Full sun to partial shade; prefers some shade, but becomes leggy in deep shade.

**Wildlife Uses:** Provides valuable forage for deer and elk, and cover for deer, elk, birds, and small mammals. Flowers attract butterflies. Several species of birds and mammals eat the seeds.

## Vine Maple







Latin Name: Acer circinatum

**Description:** This deciduous native often grows to 25 feet tall, taking the form of an erect tree (often with multiple stems) or a tangle of branches creeping vine-like along the ground before turning upward. Branches are usually green or slightly reddish. Leaves are two to four inches in diameter, and opposite. In the fall, leaves turn gold or bright red before falling. Like other maples, it has "helicopter" seeds.


**Habitat:** Common understory plant in coniferous forests, and in clear-cut or burnt-over areas. Dry to moist sites. Full sun to full shade; prefers some shade, but becomes leggy in deep shade.

<u>Wildlife Uses:</u> Provides valuable forage for deer and elk, and cover for deer, elk, birds, and small mammals. Flowers attract butterflies. Several species of birds and mammals eat the seeds.

#### **Indian Plum**







Latin Name: Oemleria cerasiformis

**Description:** This deciduous shrub grows five to sixteen feet tall and is one of the first natives to put on leaves and flower in early spring. Leaves are alternate and bright yellow-green. Flowers appear before the leaves in February and early March, and hang in elongated, greenish-white clusters. Only female plants produce the small (about ½ inch long) plum-like fruit, which ripen from peach to orange to dark purple by early lune.

<u>Habitat</u>: Moist to dry sites; along stream banks, rivers, and wetlands (but never in saturated soils), and in open woodlands. Full sun to partial shade, but prefers shade.

**Wildlife Uses:** Flowers are an early nectar source for bees and other insects. Fruits are edible to humans, but are quickly eaten by birds and other wildlife.

## **Mock Orange**







Latin Name: Philadelphus lewisii var. gordonianus

**Description:** This multiple-stemmed, loosely-branched shrub grows five to ten feet tall, and can be distinguished from similar shrubs by its showy, fragrant, white flowers. Flowers appear May through July in clusters of three to fifteen flowers at the ends of branches. Leaves are opposite, deciduous, oval, one to three inches long, with short stems. Fruits are oval, woody capsules about ½ inch long.

**Habitat:** Grows in moist, well-drained soils to dry soils. Full sun to partial shade.

Wildlife Uses: Flowers attract butterflies and bees.

#### **Nootka Rose**









Latin Name: Rosa nutkana

**Description:** This thorny rose grows two to eight feet high and has a pair of large prickles at the base of each leaf or bud. Leaves are deciduous, alternate, and contain five or seven toothed leaflets. Flowers are large (to three inches across), pink to purplish, and are usually borne singly or in pairs at the tips of branches. Fruits are large (½ - ¾ inch across) and round; when ripe, they are purplish-red.

<u>Habitat</u>: Fairly dry to wet areas. Grows in bogs, wet meadows, grasslands, forests, and mountain slopes. Full sun to partial shade. Tolerates saturated soils or inundation for much of the growing season. Can grow near salt water.

<u>Wildlife Uses:</u> Flowers are a nectar source for butterflies and other insects. Fruits are important winter food source for birds and small mammals. Thickets also provide excellent cover for birds and small mammals.

# Oceanspray



Latin Name: Holodiscus discolor

**<u>Description</u>**: This deciduous shrub usually has several, thin, main stems and grows up to 15 feet tall. Flowers are profuse, white to cream, and form cascading clusters. Small, dry fruits form in drooping clusters that persist into the winter.

**Habitat:** On well-drained to dry sites. Full sun to partial shade. Intolerant of saturated soils.

**Wildlife Uses:** Provides food and cover for small mammals and birds, deer and elk browse the branches, and butterflies and other insects use the nectar.

# Ninebark (Pacific)





**Latin Name: Physocarpus capitatus** 

**Description:** Deciduous shrub, five to twenty feet tall with open, straggly, angled branches, and bark that exfoliates in long irregular strips. Leaves are alternate, simple, three to ten centimeters long, palmately three to five lobed and veined. Produces pompom-like flower cluster in the late spring. Grows best from hardwood cuttings, and is easy to propagate and can be live-staked. Can also be grown from seed but germination is spotty.

**Habitat:** Streambanks, swamps, moist woods, and occasionally on drier shrubby sites. Sun to shade, best in acid soil, requires some watering. Propagates easily from cuttings. Common along stream banks, lake margins, swampy areas and in moist woods.

**Wildlife Uses:** Has excellent soil-binding qualities as well as providing cover and nesting sites. Other species like deer and elk graze on the twigs and bears eat the berries.

# Oregon Grape (Tall & Short)



<u>Latin Name</u>: Mahonia aquifolium (tall) & Mahonia nervosa (short)

**Description:** Evergreen shrubs with multiple erect, unbranched stems; alternate, pinnately- compound leaves with prickly, holly-like leaflets; and yellow bark, wood, and roots. Tall Oregon grape can grow to over ten feet tall (usually under five feet) and short Oregon grape grows to about two feet tall. Flowers are yellow, clustered, and appear March through May (through June for short Oregon Grape). Fruits are waxy blue berries that appear in grape-like clusters.

**<u>Habitat:</u>** Grows in dry to moist, well-drained soils, in sun or shade.

Wildlife Uses: Flowers attract butterflies. Fruits are coveted by birds and mammals.

### Red Elderberry







Latin Name: Sambucus recemosa

**Description:** This leggy deciduous shrub grows up to 20 feet tall and has soft, pithy stems, and reddish-brown bark with short, wart-like lines. Leaves are opposite, six to twelve inches long, and divided into five to (usually) nine leaflets. Flowers are clustered in pyramids, which mature into bright red berries.

**Habitat:** Moist to dry soils. In clearings and open forest, and on stream banks. Full sun to partial shade.

**Wildlife Uses:** Twigs and foliage are favorite foods of deer and elk. Flowers attract hummingbirds and butterflies. Berries are eaten by numerous birds and small mammals. Berries are used to make jellies and wines, but the twigs, foliage, roots, and bark are all toxic to humans.

## **Red Flowering Currant**



Latin Name: Ribes sanguineum var. sanguineum

**Description:** This erect, thorn-less, deciduous plant grows three to twelve feet tall, with reddish- brown bark. Leaves are alternate, rounded, one to three inches wide (occasionally larger), and lighter in color. Flowers are light-pink to deep-red, tubular, and held in upright to drooping clusters of 10-20 flowers. Dark-blue to black berries.

<u>Habitat</u>: Dry to somewhat moist, wooded or open sites, from the coast to the Cascades. Intolerant of saturated soils. Full sun to partial shade, but may get leggy in shade.

<u>Wildlife Uses:</u> Flowers attract hummingbirds and butterflies. Berries are persistent and do not ripen all at once, providing a longer term food source for numerous birds, small mammals, deer, and elk.

# Red Osier Dogwood



**Latin Name: Cornus sericea spp. Occidentalis** 

**Description:** This many-stemmed, deciduous shrub grows up to 15 feet tall. Leaves are opposite, two to six inches long, elliptical and pointed. In autumn, leaves turn a deep red before falling off. Twigs and stems are often reddish or purple. Small, greenish-white flowers grow in dense, flat topped clusters at the ends of branches, and produce a bluish-white berries in the fall.

**Habitat:** In moist, well drained soil, especially along stream banks and in swamps. Full to partial shade. Tolerates seasonal flooding.

**Wildlife Uses:** Possess excellent soil building qualities. Red stems make it attractive with or without foliage. Provides excellent wildlife cover, and is browsed by rabbits, deer, and elk. Hosts butterfly caterpillars. Buds and fruit provide food for numerous birds, small mammals, and black bear.

# Serviceberry









Latin Name: Amelanchier alnifolia

**Description:** This multi-stemmed, deciduous native usually grows 10-12 feet tall, and has smooth, dark gray to reddish bark. Leaves are alternate, thin, oval, and one to two inches long. Flowers are white with five long, thin petals, and form showy, erect or droopy clusters. Fruits are small ( $\frac{1}{2}$  inch in diameter) and initially dull-red, becoming dark purple when ripe, and look somewhat like small blueberries.

**Habitat:** In moist to dry areas, on well-drained soils; often in open conifer forests. Full sun to partial shade. Common throughout the Northwest, frequently in thickets. Very drought-tolerant.

**Wildlife Uses:** Foliage and new twigs are prized by deer and elk. Fruits are eaten by many birds and mammals.

## Snowberry







Latin Name: Symphoricarpos albus var. laevigatus

**Description:** This low-growing (two to six feet tall) deciduous shrub has very slender, opposite-branching stems, and a dense system of rhizomes. Leaves are deciduous, opposite, small ( $\frac{3}{4}$  -  $\frac{2}{2}$  inches long), and dull green in color. Flowers are small ( $\frac{1}{4}$  inch or less), pink to white, bell-shaped, and appear in short, dense clusters. Berries persist through winter and are white, up to  $\frac{1}{2}$  inch in diameter, and grow in tight clusters.

<u>Habitat</u>: Dry to wet sites. In forests, shrub thickets, open slopes, dense woods, along roadsides, on sandy river banks, in deciduous uplands, and under Pacific madrones. Full sun to partial shade.

**Wildlife Uses:** Deer and elk browse foliage. Flowers attract butterflies. Fruits are eaten by many birds, and may be an important food source for wildlife at winter's end.